CVK-SERIES

Fixed Security Camera Poles

DESCRIPTION

The CVK fixed camera poles are suitable camera poles for every type of camera system. This fixed security camera pole is available in three different length, complete with anti climb, connection terminal and concrete plates for direct burial. The standard poles are galvanized, however by providing the RAL color customization is possible.

FEATURES

- Available in 3, 4 and 6 meters
- RAL Color customization possible
- Two concrete stabilization plates and a stock cap included
- Detachable anti-climb security



Optional expansions:

- Camera adapter with tilt mechanism (45°)

Mechanical	
Attachments	No, only stock cap
Climbing prohibition	Yes, removable
Tilt over	No
Stabilisation plate	Yes, 2 prefab concrete plates with mounting brackets for direct burial
230V connector	Terminal block with clamps
RAL colour	Optional
Optional	Base plate, anti-vandalism closure, doorlock A-V closure

CVK3	
length above ground level	3.0 m
length below ground level	800 mm
Inspection door	300 x 85 mm
Weight	29 kg

CVK4	
Length above ground level	4.0 m
Length below ground level	1.000 mm
Inspection door	400 x 90 mm
Weight	41 kg

CVK6	
Length above ground level	6.0 m
Length below ground level	1.200 mm
Inspection door	400 x 90 mm
Weight	60 kg

Ordering Info	
CVK3	3m fixed camera pole+anti-climb
CVK4	4m fixed camera pole+anti-climb
CVK6	6m fixed camera pole+anti-climb
CVK3-RAL	3m fixed camera pole+anti-climb; RAL-xxxx
CVK4-RAL	4m fixed camera pole+anti-climb; RAL-xxxx
CVK6-RAL	6m fixed camera pole+anti-climb; RAL-xxxx

Option	
DKO	Single camera adapter with tilt mechanism (45°)



