# CVKK-SERIES

## Cylindrical Hinged Camera Poles

### DESCRIPTION

The CVKK cylindrical camera pole are suitable for every type of camera system. This CVKK camera poles are cylindrical shaped, hingeable and available in three different lenghts, complete with anti climb, connection terminal and concrete plates for direct burial. The standard poles are galvanized, however by providing the RAL color customization is possible.

### FEATURES

- Available in 4 and 6 meters
- RAL Color customization possible
- Two concrete stabilization plates and a stock cap included
- Detachable anti-climb Security
- Hingeable
- Cylindrical shaped



**Required expansion:**

- Kaalfix key

**Optional expansions:**

- Camera adapter with tilt mechanism (45°)

| Mechanical | |
|---|---|
| Attachments | No, only stock cap |
| Climbing prohibition | Yes, removable |
| Tilt over | Yes |
| Stabilisation plate | Yes, 2 prefab concrete plates with mounting brackets for direct burial |
| 230V connector | Terminal block with clamps |
| RAL colour | Optional |
| Optional | Base plate, anti-vandalism closure, doorlock A-V closure |

| CVKK4 | |
|---|---|
| length above ground level | 4.0 m |
| length below ground level | 1000 mm |
| Inspection door | 400 x 85 mm |
| Weight | 71 kg |

| CVKK6 | |
|---|---|
| Length above ground level | 6.0 m |
| Length below ground level | 1200 mm |
| Inspection door | 400 x 85 mm |
| Weight | 101 kg |

| Ordering Info | |
|---|---|
| CVKK4 | 4m cylindrical reversible camera pole, anti-climb |
| CVKK6 | 6m cylindrical reversible camera pole, anti-climb |
| CVKK6-RAL | 6m cylindrical reversible camera pole, anti-climb, RAL-xxxx |
| CVKK4-RAL | 4m cylindrical reversible camera pole, anti-climb, RAL-xxxx |
| CVKK-KEY | Kaafix Key required for each site with CVKK poles |

| Option | |
|---|---|
| DKO | Single camera adapter with tilt mechanism (45°) |







