

NVH-2004

Video client, 19", 2u, 2 bays, Intel Core Desktop Processor, SSD.

DESCRIPTION

The NVH-2004 is an efficient and powerful client system, fitted with the latest topbrand components. Useable in a 19" Rack mountable configuration, the NVH-2004 guarantees a reliable performance, built for 24/7 runtime. Part of a complete VDG Sense configuration, the NVH-2004 is the perfect 19" Rack mountable Client.

FEATURES

2U Rack-mountableclient

4 Video outputs (2x DP 1.4, 1x HDM 2.1, 1x D-sub(VGA))

TPM IC onboard





Preconfigured with optimal hard- and software for VDG Sense, the system is set-up for plug-and-play use within minutes. The hardware components are selected specifically for the most reliable and efficient setup. The hardware consist only of top-quality components from third party manufacturers. A powerful experience is guaranteed with the Intel Core Desktop Processor. Our NVH-2004 is fitted with a 128GB SSD and a smart air duct cooling system. This ensures an as good as silent operating experience combined with high output performance.

Optional expansions

- Quad card for four monitor output
- PTZ joystick/keyboard
- VDG Video server storage to operate as stand-alone VDG Sense configuration.



System Microsoft Windows 11 Pro 64-bit Operating system Hard disk 512 GB SSD (included) Recording Storage Capacity 2 x 3.5 inch hard drive (optional) 13th Gen Intel Core Desktop Processor Processor Chipset Intel B660 Chipset Memory 16 GB memory Network Interface 1x Gigabit Ethernet RJ-45 (10/100/1000 MB/s) 1x VGA / 2x DisplayPort 1.4 / 1x HDMI 2.1 Video output Max Resolution (HDMI) 4096 x 2160 @ 60Hz Max Resolution (DP) 7680 x 4320 @ 60Hz Note : only 1x 4k resolution supported Special Features TPM IC onboard Mechanical Form Factor 2U 19-Inch Rack mount Dimensions (DxWxH) 457,2mm x 429,26 mm x 88,9mm (18"x 16,9" x 3,5") Electrical 100-240VAC, 50/60Hz, 4.5A Power Input 300W Single **Power Supply** Power Consumption 150W Environmental 5° C - 40° C (41°F - 104°F) **Operating Temperature** -40° C - 65° C (-40°F - 149°F) Storage Temperature Ordering Info NVH-2004 Video client, 19", 2u, 2 bays, Intel Core Desktop Processor, SSD Supplied Accessories USB Compact Keyboard **USB** Optical Mouse Power Cord 1.5 meter Slide rail for NVH-2004 **VDG Client accessories** NVH-HDMI-F Displayport to HDMI adapter cable for NVH-1101 NVH-QUAD Quad mini displayport/HDMI output NVH-KEY1001 PTZ joystick for VDG Video client, USB 3.0 NVH-KEY1002 PTZ keyboard for VDG Video client, USB 2.0 NVH-KEY1003 PTZ joystick for VDG Video client, USB 2.0 NVH-92TB NVH-94TB NVH-96TB NVH-98TB Pro video server storage 2TB 4TB 6TB 8TB (incl. assembly and config) NVH-910TB NVH-912TB NVH-914TB NVH-916TB NVH-918TB

Specs



10TB	12TB	14TB	16TB	18TB	
	.2.8				















RELATED



NVIDIA NVH-QUAD (EOL)

A Low profile, Multi-View, Mini DisplayPort Quad Graphic Card



VDG NVH-KEY1001

 $\ensuremath{\mathsf{PTZ}}$ joystick for use with Sense Client



VDG NVH-KEY1002

An easy-to-use, plug-and-play control keyboard.



VDG NVH-KEY1003

PTZ joystick for use with Sense Client, USB



Toshiba NVH Pro Server Storage Professional server storage for the most demanding storage environments.