

# NVH PRO SERVER STORAGE

Professional server storage for the most demanding storage environments.

## DESCRIPTION

VDG's Professional video server storage hard drives are available from 2Tb up to 20TB capacities to suit even the most demanding needs.

The combination of high-capacity, peak performance and robust design make VDG Pro video server storage drives ideal for heavy workload environments, delivering both performance and reliability to any datacenter environment.

## FEATURES

---

Performance-optimized disks for heavy application workloads

---

Can be used in all NVH hardware

---

Raid configurable  
(RAID0,1,10,5,50,6,60)

---



**Performance**

Data buffer	128 MB (2TB)	256 MB (4TB, 6TB, 8TB, 10TB)	12 MB (12TB, 14TB, 16TB, 18TB, 20TB)
Rotational speed (RPM)	7200		
Latency average, (ms)	4.16		
Interface	SATA 6Gb/s		
Interface transfer rate (MB/s, max)	600		

**Reliability**

Load/Unload cycles (at 40°C)	600,000		
MTBF (M hours)	2.0 (2TB,4TB,6TB,8TB,10TB)	2.5 (12TB,14TB)	
Availability (hrs/day x days/wk)	24x7		

**Power**

Requirement	+5V,+12V						
Operating (W, typical)	8.1 (2TB)	7.0 (4TB,6TB,8TB)	9.2 (10TB)	6.8 (12TB)	6.0 (14TB)	6.5 (16TB,18TB,20TB)	
Idle (W)	5.9 (2TB)	5.9 (4TB,6TB,8TB)	8.0 (10TB)	5.0 (12TB)	5.5 (14TB)	5.6 (16TB,18TB,20TB)	

**Physical size**

Drive type	3.5 inch Internal hard drive						
z-height (mm)	26.1						
Dimensions (width x depth, mm)	101.6 x 147						
Weight (g)	640 (2TB)	715 (4TB, 6TB, 8TB)	750 (10TB)		690 (14TB, 16TB, 18TB, 20TB)		

**Environmental (operating)**

Ambient temperature	5° to 60° C
---------------------	-------------

**Environmental (non-operating)**

Ambient temperature	-40° to 70° C
---------------------	---------------

Pro video server storage	NVH-92TB	NVH-94TB	NVH-96TB	NVH-98TB			
(incl. assembly and config)	2TB	4TB	6TB	8TB			
	NVH-910TB	NVH-912TB	NVH-914TB	NVH-916TB	NVH-918TB	NVH-920TB	NVH-922TB
	10TB	12TB	14TB	16TB	18TB	20TB	

## RELATED



**VDG NVH-2608XR**  
Video server 19", 2U, 8 bay HS, Xeon, SSD, RAID, RPSU



**VDG NVH-1101**  
Video client, Intel Core Desktop Processor, SSD (desktop/tower)



**VDG NVH-2004**  
Video client, 19", 2u, 2 bays, Intel Core Desktop Processor, SSD.



**VDG NVH-1004X**  
Video server 19", 1U, 4 bay HS, Xeon, SSD