

NVH-RMM

Remote management module for NVH-10xx and NVH-2xxx servers

DESCRIPTION

The NVH-RMM is an effective remote server management chip that is IPMI 2.0 compliant and provides the OS-independent and cross-platform interface for monitoring the server system such as temperature, voltage, and Fan status etc. MIS can be informed of the server working status from anywhere, anytime via real-time event notification. It also supports remotely update BIOS, standalone KVM/Java utility to simplify remote control process; video recording and BSOD capture for easily trouble-shooting. around-the-clock remote monitor and diagnosis through GUI (Web-based Graphical User Interface) even the server OS is down.





Technical features	
Features	IPMI 2.0
- Catales	KVM over IP
	Web-based UI
	WSMAN
	<u> </u>
	Management LAN Fail-Over
	Node Management Support
	IPv6
	Simultaneous floppy, USB Key/hard disk, CD/ DVD redirection (multiple virtual media)
Compatibility	
Compatible with servers from January 2019 or land-H-1004X	
	NVH-1004XR
	NVH-1004XRR
	NVH-2608XR
	NVH-2516XR
	NVH-2524XR
	NVH-2648XR
	NVH-2608XRD
	NVH-2516XRD
	NVH-2524XRD
Ordering info	
NVH-RMM	Remote management module for NVH-10xx and NVH-2xxx servers



RELATED



VDG NVH-1004X

Video server 19", 1U, 4 bay HS, Xeon, SSD



VDG NVH-1004XR

Video server 19", 1U, 4 bay HS, Xeon, SSD, RAID



VDG NVH-2516XR (EOL)

Video server 19", 3U,16 bay HS, Xeon, SSD, RAID, RPSU



VDG NVH-2608XR

Video server 19", 2U, 8 bay HS, Xeon, SSD, RAID, RPSU



VDG (EOL) NVH-2648XR

Video server 19", 4U, 48 bay HS, Xeon, SSD, RAID, RPSU