

# TL3-UN-S

## TANlock 3 - RFID powdercoated Silver/Silber

### DESCRIPTION

iProtect not only offers a modern and flexible Access Management System to secure buildings and other locations, but also offers an efficient way to protect your knowledge, processes and data through a central and tamper-proof locking system, the "TANlock".

TANlock may be used for all areas which need to be secured such as, data centers, control cabinets on production plants or in your critical infrastructure. With implementing this system, you ensure that only authorized persons have access to your business-critical areas. Furthermore, you can monitor the status of each individual cabinet door online. TANlock, is available in the colors black and silver.

### FEATURES

---

Suitable for all universal Racks

---

RFID Technology: Mifare DESfire / EV2 Mifare SNR

---

OK button to confirm remote opening

---

Can be powered-up incase of emergency via USB-C

---



### Power supply & consumption

Voltage	PoE : IEE 802.3af-2003
Power consumption	min. 4.8W

### Measure

Measurements Housing	239,0 x 40,0 x 28,0 mm
Weight	680g

### Environment

Rating	IPXX Optional IP54 IP65
Operating temp	-40 65C
Operating humid	5 95% relative humidity, non-condensing
Storage temp	-40 85C

### Inputs

Digital input IN0	Door status
Digital input IN1	Side panel status
USB-C	External power via USB-C connector

### Cardreader

Standard	ISO 14443-A
Frequencies	13,56MHz
Type	Mifare DESFire EV1 and EV2, Mifare SNR
Reading Distance	0-30mm (normal operation)

### Indicators

ORANGE LED	Handle rotation status
BLUE LED	Access status
RED LED	Alarm status

### Certification

Certification	ElectricEMC / CE
---------------	------------------

### Variants

512-2001	TANlock RFID
512-2002	TANlock RFID, PIN
512-2003	TANlock RFID, MO
512-2004	TANlock RFID, PIN MO
512-2005	TANlock Rittal silver
512-2006	TANlock PIN Rittal silver
512-2007	TANlock MO Rittal silver
512-2008	TANlock PIN MO Rittal silver
512-2009	TANlock Vertiv
512-2010	TANlock PIN Vertiv

# Specs



## Variants

512-2011	TANlock MO Vertiv
512-2012	TANlock PIN MO Vertiv

## Colours

xxx-xxxx-S	Black
xxx-xxxx-B	Silver


## Mechanical Override

Cylinder size

## Door contacts

512-2013	TANlock Door contact 2m
512-2014	TANlock Door contact 3m
512-2015	TANlock Door contact 0.08m



















## RELATED

---

**FATH TL3-UN-Pin-B**

TANlock 3 - RFID with PIN powdercoated Black/Schwarz

---

**FATH TL3-UN-MO-B**

TANlock 3 - RFID / mechanical overwrite powdercoated Black/Schwarz

---

**FATH TL3-UN-Pin-MO-B**

TANlock 3 - RFID with PIN / mechanical overwrite powdercoated Black/Schwarz

---

**FATH TL-DC-2m**

TANlock Door contact 2m

---

**FATH TL-DC-3m**

TANlock Door contact 3m

---

**FATH TL-DC-8cm**

TANlock Door contact 8cm

---